SELECTION EXAMPLES

Applicants (OUAC) [1]

Secondary:	SELECT <fields> IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '1') AND (TYP1 = '1' OR TYP1 ='2'))
Non-Secondary:	SELECT <fields> IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '2') AND (TYP1 = '1' OR TYP1 = '2'))

Applicants (COU) [2]

Secondary:	SELECT <fields> IF ((APPCAT = '2') AND (APPTYP = '1'))
Non-Secondary:	SELECT <fields> IF ((APPCAT = '2') AND (APPTYP = '2'))

Applications (OUAC) [1]

Secondary:	SELECT <fields> IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '1') AND (TYPx = '1' OR TYPx ='2')), WHERE x = 1,2,...,20
eg., for FIRST Choice	IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '1') AND (TYP1 = '1' OR TYP1 = '2'))

TOTAL applications are obtained by summing FIRST, SECOND, ..., and TWENTIETH choice applications.

Non-Secondary:	SELECT <fields> IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '2') AND (TYPx = '1' OR TYPx = '2')), WHERE x = 1,2,...,20
eg., for FIRST Choice	IF ((APPCAT = '1' OR APPCAT = '2') AND (APPTYP = '2') AND (TYP1 = '1' OR TYP1 = '2'))

TOTAL applications are obtained by summing FIRST, SECOND, ..., and TWENTIETH choice applications.

RL0035C   05/12/20

SELECTION EXAMPLES

Applications (COU) [2]

Secondary: SELECT <fields>
                                              IF ((APPCAT = '2') AND (APPTYP = '1')
                                              AND (TYPx ='2')), WHERE x = 1,2,..,20

    eg., for FIRST Choice   IF ((APPCAT = '2') AND (APPTYP = '1')
                                              AND (TYP1 ='2'))

TOTAL applications are obtained by summing FIRST, SECOND,..., and TWENTIETH choice applications.

Non-Secondary: SELECT <fields>
                                              IF ((APPCAT = '2') AND (APPTYP = '2')
                                              AND (TYPx = '2')), WHERE x = 1,2,...,20

    eg., for FIRST Choice   IF ((APPCAT = '2') AND (APPTYP = '2')
                                              AND (TYP1 ='2'))

TOTAL applications are obtained by summing FIRST, SECOND,..., and TWENTIETH   choice applications.

Applications (COU) By Zone [2]

Secondary (Total Applications):   IF ((APPCAT = '2') AND (APPTYP = '1')
                                              AND (TYP1='2' OR TYP2='2' ... OR TYP20='2'))

                                              IF ((IMSTAT = '2' OR IMSTAT = '3')
                                              THEN (PRORES = 98 AND COURES = 98))

    COU Zone: IF ((PRORES = '35')
                                              AND (select appropriate COURES))

    Quebec: IF (PRORES ='24')

    Rest of Ontario: IF ((PRORES = '35')
                                              AND (COURES NE <local zone or zone 7>))

    Rest of Canada: IF ((CUNRES = '80021')
                                              AND (PRORES NE '35' OR PRORES NE '24'))

    Foreign: IF (PRORES = '98')

SELECTION EXAMPLES

Confirmations (OUAC)

Secondary:
SELECT <fields>
IF ((APPTYP = '1') AND (CNFENR = 'F')
AND (CNFYRL < '2'))

Non-Secondary:
SELECT <fields>
IF ((APPTYP = '2') AND (CNFENR = 'F')
AND (CNFYRL < '2') AND (CNFPGM NE X))
Note: For Guelph, X = {'GR ', 'GV '}
          For Waterloo, X = {'WB '}
          For all others, X = { }

Registrations (OUAC) 1

Secondary:
SELECT <fields>
IF ((REGCAT <= '6') AND (APPTYP = '1'))

Non-Secondary:
SELECT <fields>
IF ((REGCAT <= '6') AND (APPTYP = '2'))

Registrations (COU) ²

Secondary:
SELECT <fields>
IF ((REGCAT = '1') AND (APPTYP = '1'))

Non-Secondary:
SELECT <fields>
IF ((REGCAT = '1') AND (APPTYP = '2'))

Registrations (Out-of-System) 1

Previous:
SELECT <fields>
IF (REGCAT = '7')

Unidentified:
SELECT <fields>
IF (REGCAT = '8')

Application Advanced Standing/Reg 1st Year

SELECTION EXAMPLES

Secondary:

SELECT \<fields\>
IF ((REGCAT = '3') AND (APPTYP = '1'))

Non-Secondary:

SELECT \<fields\>
IF ((REGCAT = '3') AND (APPTYP = '2'))

Application Data For Registered Choice (OUAC)

Step 1:
Select Registered Population:

SELECT \<fields\>
IF (REGCAT \<= '6')

Step 2:
Select Application Segment
For Registered Choice:

SELECT \<application segment x\>
FROM \<Step 1 population\>
IF (REGx = 'Y'), WHERE x = 1,2,...,20

Application Data For Registered Choice (COU)

Step 1:
Select Registered Population:

SELECT \<fields\>
IF (REGCAT = '1')

Step 2:
Select Valid COU Application
Segments Only
For Registered Choice:

SELECT \<application segment x\>
FROM \<Step 1 population\>
IF ((REGx = 'Y') AND (CHSCx \>= '1')), WHERE x = 1,2,...,20

OR
Select All Application Segments
For Registered Choice:

SELECT \<application segment x\>
FROM \<Step 1 population\>
IF (REGx = 'Y'), WHERE x = 1,2,...,20

Notes: [1] When reconciling to similar counts in the annual OUAC 'Admission Data System' report.
[2] When reconciling to similar counts in the annual COU 'Application Statistics' report.